



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND  
CITIES—YEARLY AND MONTHLY.

*Governors Harbor*.—Week ended April 15, 1905. Estimated population, 1,500. No deaths reported. No contagious diseases reported.

*Green Turtle Cay—Abaco*.—Two weeks ended April 14, 1905. Estimated population, 3,314. Total number of deaths not reported. No contagious diseases reported.

*Nassau*.—Two weeks ended April 15, 1905. Estimated population, 12,650. No deaths and no contagious diseases reported.

BRAZIL—*Ceará*.—Month of February, 1905. Estimated population, 50,000. Total number of deaths, 100, including 8 from enteric fever.

CANADA—*British Columbia—Victoria*.—Month of March, 1905. Estimated population, 21,000. Total number of deaths, 19, including 2 from tuberculosis.

FRANCE—*Marseille*.—Month of March, 1905. Estimated population, 491,161. Total number of deaths, 965, including diphtheria 3, enteric fever 8, scarlet fever 2, whooping cough 1, smallpox 1, and 107 from tuberculosis.

GERMANY—*Hanover*.—Month of February, 1905. Estimated population, 255,707. Total number of deaths, 330, including 6 from infectious diseases.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended April 8, 1905, correspond to an annual rate of 15.7 per 1,000 of the aggregate population, which is estimated at 15,609,377.

*Bradford*.—Two weeks ended April 8, 1905. Estimated population, 286,799. Total number of deaths, 168, including diphtheria 2, enteric fever 1, scarlet fever 1, whooping cough 4, smallpox 1, and 14 from phthisis pulmonalis.

*London*.—One thousand four hundred and nineteen deaths were registered during the week, including smallpox 1, measles 41, scarlet fever 10, diphtheria 15, whooping cough 40, enteric fever 3, and 8 from diarrhea. The deaths from all causes correspond to an annual rate of 15.8 per 1,000. In Greater London 1,956 deaths were registered. In the "outer ring" the deaths included 4 from diphtheria, 4 from measles, 2 from scarlet fever, 9 from whooping cough, and 1 from diarrhea.

*Ireland*.—The average annual death rate represented by the deaths registered during the week ended April 8, 1905, in the 21 principal town districts of Ireland was 21.9 per 1,000 of the population, which is estimated at 1,093,959. The lowest rate was recorded in Dundalk, viz, 4, and the highest in Kilkenny, viz, 39.3, per 1,000. In Dublin and suburbs 190 deaths were registered, including diphtheria 1, enteric fever 1, scarlet fever 1, whooping cough 1, and 49 from tuberculosis.

*Scotland*.—The deaths registered in 8 principal towns during the week ended April 8, 1905, correspond to an annual rate of 16.6 per 1,000 of the population, which is estimated at 1,749,917. The lowest rate of mortality was recorded in Leith, viz, 11.5, and the highest in Aberdeen, viz, 21.5, per 1,000. The aggregate number of deaths registered from all causes was 556, including diphtheria 5, measles 13, scarlet fever 2, and 28 from whooping cough.

ITALY—*Genoa*.—Month of September, 1904. Estimated population, 256,804. Total number of deaths, 349, including diphtheria 1, enteric fever 13, measles 1, whooping cough 3, and 86 from tuberculosis.

Month of October, 1904. Total number of deaths, 380, including diphtheria 1, enteric fever 9, measles 8, and 56 from tuberculosis.

Month of November, 1904. Total number of deaths, 434, including diphtheria 5, enteric fever 10, measles 5, whooping cough 2, and 74 from tuberculosis.

Month of December, 1904. Total number of deaths, 518, including diphtheria 7, enteric fever 4, measles 15, scarlet fever 1, whooping cough 2, and 65 from tuberculosis.

*Florence*.—Month of January, 1905. Population, 226,494. Total number of deaths, 618, including diphtheria 13, enteric fever 4, measles 14, and 34 from tuberculosis.

Month of February, 1905. Total number of deaths, 601, including diphtheria 17, enteric fever 1, measles 15, and 34 from tuberculosis.

*Milan*.—Month of February, 1905. Estimated population, 532,557. Total number of deaths, 1,216, including diphtheria 13, enteric fever 5, measles 7, scarlet fever 2, and 110 from tuberculosis.

JAPAN—*Nagasaki*.—Ten days ended March 20, 1905. Estimated population, 154,727. Total number of deaths not reported. One death from enteric fever reported.

JAVA—*Batavia*.—Two weeks ended March 11, 1905. Estimated population, 160,000. Total number of deaths not reported. No contagious disease reported.

PHILIPPINE ISLANDS—*Manila*.—Month of November, 1904. Population, 291,941. Total number of deaths, 1,048, including diphtheria 1, enteric fever 13, whooping cough 1, and 88 from tuberculosis.

SPAIN—*Cadiz*.—Month of March, 1905. Estimated population, 69,382. Total number of deaths, 260, including enteric fever 1, smallpox 2, and 33 from tuberculosis.

URUGUAY—*Montevideo*.—Month of February, 1905. Estimated population, 291,602. Total number of deaths, 316, including diphtheria 4, enteric fever 5, scarlet fever 10, whooping cough 4, smallpox 14, and 38 from tuberculosis.

WEST INDIES—*Curaçao*.—Two weeks ended April 14, 1905. Estimated population, 31,600. Total number of deaths, 13. No contagious diseases reported.